

兔抗 CCL21 多克隆抗体

中文名称：兔抗 CCL21 多克隆抗体

英文名称：Anti-CCL21 rabbit polyclonal antibody

级 别：ECL; SLC; CKb9; TCA4; 6Ckine; SCYA21

储 存：冷冻（-20℃）

抗 原：CCL21

宿 主：Rabbit

相关类别：一抗

反应种属：Human

标 记 物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This antimicrobial gene is one of several CC cytokine genes clustered on the p-arm of chromosome 9. Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. Similar to other chemokines the protein encoded by this gene inhibits hemopoiesis and stimulates chemotaxis. This protein is chemotactic in vitro for thymocytes and activated T cells, but not for B cells, macrophages, or neutrophils. The cytokine encoded by this

	gene may also play a role in mediating homing of lymphocytes to secondary lymphoid organs. It is a high affinity functional ligand for chemokine receptor 7 that is expressed on T and B lymphocytes and a known receptor for another member of the cytokine family (small inducible cytokine A19).
Applications:	ELISA, WB
Name of antibody:	CCL21
Immunogen:	Synthetic peptide of human CCL21
Full name:	chemokine (C-C motif) ligand 21
Synonyms:	ECL; SLC; CKb9; TCA4; 6Ckine; SCYA21
SwissProt:	O00585
ELISA Recommended dilution:	5000-10000
WB Predicted band size:	15 kDa
WB Positive control:	Human lymph gland tissue lysate
WB Recommended dilution:	500-2000

