

兔抗 CCNC(Phospho-Ser275) 多克隆抗体

中文名称：兔抗 CCNC(Phospho-Ser275) 多克隆抗体

英文名称： Anti-CCNC(Phospho-Ser275) rabbit polyclonal antibody

别名： CycC

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： CCNC(Phospho-Ser275)

反应种属： Human Mouse Rat

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

| | |
|--------------------------|---|
| Background: | The protein encoded by this gene is a member of the cyclin family of proteins. The encoded protein interacts with cyclin-dependent kinase 8 and induces the phosphorylation of the carboxy-terminal domain of the large subunit of RNA polymerase II. The level of mRNAs for this gene peaks in the G1 phase of the cell cycle. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008] |
| Applications: | WB, IHC |
| Name of antibody: | CCNC(Phospho-Ser275) |

| | |
|---------------------------------|---|
| Immunogen: | Peptide sequence around phosphorylation site of Serine 275(N-G-S(p)-A-N) derived from Human Cyclin C. |
| Full name: | cyclin C |
| Synonyms : | CycC |
| SwissProt: | P24863 |
| IHC positive control: | Human breast carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 33 kDa |
| WB Positive control: | NIH/3T3 cells, A549 cells and Hela cells lysates |
| WB Recommended dilution: | 500-1000 |



