

兔抗 DUSP2 多克隆抗体

- 中文名称: 兔抗 DUSP2 多克隆抗体
- 英文名称: Anti-DUSP2 rabbit polyclonal antibody
- 别 名: PAC1; PAC-1
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: DUSP2
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the dual specificity protein phosphatase subfamily. These p hosphatases inactivate their target kinases by dephosp horylating both the phosphoserine/threonine and phos photyrosine residues. They negatively regulate member s of the mitogen-activated protein (MAP) kinase superf amily (MAPK/ERK, SAPK/JNK, p38), which are associate d with cellular proliferation and differentiation. Differen t members of the family of dual specificity phosphatas es show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular loc
-------------	--



	alization, and different modes of inducibility of their e xpression by extracellular stimuli.
Applications:	ELISA, WB, IHC
Name of antibody:	DUSP2
Immunogen:	Synthetic peptide of human DUSP2
Full name:	dual specificity phosphatase 2
Synonyms :	PAC1; PAC-1
SwissProt:	Q05923
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	34 kDa
WB Positive control:	Hela cells
WB Recommended dilution:	200-1000





