

兔抗 CDC25A(Ab-178) 多克隆抗体

中文名称: 兔抗 CDC25A(Ab-178) 多克隆抗体

英文名称: Anti-CDC25A(Ab-178) rabbit polyclonal antibody

别 名: CDC25A2

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: CDC25A(Ab-178)

反应种属: Human

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

Background: Applications: Name of antibody:	inase CDC2 by removing two phosphate groups. CDC25A is specifically degraded in response to DNA damage, which have prevents cells with chromosomal abnormalities from progressing through cell division. CDC25A is an oncogene, although its exact role in oncogenesis has not been demonstrated. WB CDC25A(Ab-178)
	CDC25A is a member of the CDC25 family of phosphatas es. CDC25A is required for progression from G1 to the S phase of the cell cycle. It activates the cyclin-dependent k



Immunogen:	Synthesized non-phosphopeptide derived from human CD C25A around the phosphorylation site of serine 178 (Q-N -S(p)-A-P).
Full name:	cell division cycle 25A
Synonyms :	CDC25A2
SwissProt:	P30304
WB Predicted band size:	59 kDa
WB Positive control:	Jurkat cells lysate
WB Recommended dilution:	500-3000

