

兔抗 CDC25A(Phospho-Thr507) 多克隆抗体

- 中文名称: 兔抗 CDC25A(Phospho-Thr507) 多克隆抗体
- 英文名称: Anti-CDC25A(Phospho-Thr507) rabbit polyclonal antibody
- 别名: CDC25A2
- 相关类别: 一抗
- 储存: 冷冻(-20℃)避光
- 宿 主: Rabbit
- 抗原: CDC25A(Phospho-Thr507)
- 反应种属: Human, Mouse, Rat
- 标记物 : Unconjugate
- 克隆类型: Unconjugate

技术规格

Background: Applications:	G1 to the S phase of the cell cycle. It activates th e cyclin-dependent kinase CDC2 by removing two phosphate groups. CDC25A is specifically degraded in response to DNA damage, which prevents cells with chromosomal abnormalities from progressing through cell division. CDC25A is an oncogene, alth ough its exact role in oncogenesis has not been d emonstrated.
	CDC25A is a member of the CDC25 family of phos phatases. CDC25A is required for progression from G1 to the S phase of the cell cycle. It activates th



Name of antibody:	CDC25A(Phospho-Thr507)
Immunogen:	Peptide sequence around phosphorylation site of T hreonine 507 (S-R-T(p)-W-A) derived from Human CDC25A.
Full name:	cell division cycle 25A
Synonyms :	CDC25A2
SwissProt:	P30304
WB Predicted band size:	59 kDa
WB Positive control:	Huvec cells lysates
WB Recommended dilution:	500-1000

