

兔抗 CDC25C 多克隆抗体

中文名称: 兔抗 CDC25C 多克隆抗体

英文名称: Anti-CDC25C (Ab-216) rabbit polyclonal antibody

别 名: CDC25M1; MPIP3; CDC25; PPP1R60

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: CDC25C

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | cdc25C is highly conserved during evolution and it |
|---------------|---|
| | plays a key role in the regulation of cell division. Th |
| | e encoded protein is a tyrosine phosphatase and be |
| | longs to the Cdc25 phosphatase family. It directs de |
| | phosphorylation of cyclin B-bound CDC2 and trigger |
| | s entry into mitosis. It is also thought to suppress p |
| | 53-induced growth arrest. Multiple alternatively splic |
| | ed transcript variants of this gene have been descri |
| | bed, however, the full-length nature of many of the |
| | m is not known. |
| Applications: | WB, IHC, IF |



| Name of antibody: | CDC25C |
|--------------------------|--|
| Immunogen: | Synthetic peptide of human CDC25C (Ab-216) |
| Full name: | cell division cycle 25C |
| Synonyms: | CDC25M1; MPIP3; CDC25; PPP1R60 |
| SwissProt: | P30307 |
| IHC positive control: | Human breast carcinoma |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 55 kDa |
| WB Positive control: | HT29 cells |
| WB Recommended dilution: | 500-1000 |
| IF Positive control: | Hela cells |
| IF Recommended dilution | 100-200 |







