

## 兔抗 DUSP8 多克隆抗体

- 中文名称：兔抗 DUSP8 多克隆抗体
- 英文名称：Anti-DUSP8 rabbit polyclonal antibody
- 别名：HB5; HVH8; HVH-5; C11orf81
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：DUSP8
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

#### Background:

The protein encoded by this gene is a member of the dual specificity protein phosphatase subfamily. These phosphatases inactivate their target kinases by dephosphorylating both the phosphoserine/threonine and phosphotyrosine residues. They negatively regulate members of the mitogen-activated protein (MAP) kinase superfamily (MAPK/ERK, SAPK/JNK, p38), which is associated with cellular proliferation and differentiation. Different members of the family of dual specificity phosphatases show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular localization, and d

	ifferent modes of inducibility of their expression by extracellular stimuli. This gene product inactivates SAPK/JNK and p38, is expressed predominantly in the adult brain, heart, and skeletal muscle, is localized in the cytoplasm, and is induced by nerve growth factor and insulin.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	DUSP8
<b>Immunogen:</b>	Synthetic peptide of human DUSP8
<b>Full name:</b>	dual specificity phosphatase 8
<b>Synonyms :</b>	HB5; HVH8; HVH-5; C11orf81
<b>SwissProt:</b>	Q13202
<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human colon cancer and Human cervical cancer
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	66 kDa
<b>WB Positive control:</b>	293T cells
<b>WB Recommended dilution:</b>	200-1000



