

兔抗 CDC42EP2 多克隆抗体

中文名称：兔抗 CDC42EP2 多克隆抗体

英文名称：Anti-CDC42EP2 rabbit polyclonal antibody

别名：CDC42 effector protein 2; CEP2; BORG1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CDC42EP2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	CDC42, a small Rho GTPase, regulates the formation of F-actin-containing structures through its interaction with the downstream effector proteins. The protein encoded by this gene is a member of the Borg family of CDC42 effector proteins. Borg family proteins contain a CRIB (Cdc42/Rac interactive-binding) domain. They bind to, and negatively regulate the function of CDC42. Coexpression of this protein with CDC42 suggested a role of this protein in actin filament assembly and cell shape control.
Applications:	ELISA, IHC

Name of antibody:	CDC42EP2
Immunogen:	Fusion protein of human CDC42EP2
Full name:	CDC42 effector protein 2
Synonyms:	CEP2; BORG1
SwissProt:	O14613
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human gastric cancer and Human thyroid cancer
IHC Recommend dilution:	25-100



