

兔抗 CDCA8 多克隆抗体

中文名称：兔抗 CDCA8 多克隆抗体

英文名称：Anti-CDCA8 rabbit polyclonal antibody

别名：BOR; DasraB; MESRGP; BOREALIN

相关类别：一抗

抗原：CDCA8

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a component of the chromosomal passenger complex. This complex is an essential regulator of mitosis and cell division. This protein is cell-cycle regulated and is required for chromatin-induced microtubule stabilization and spindle formation. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 7, 8 and 16.
Applications:	ELISA, WB, IHC
Name of antibody:	CDCA8
Immunogen:	Fusion protein of human CDCA8
Full name:	cell division cycle associated 8

Synonyms :	BOR; DasraB; MESRGP; BOREALIN
SwissProt:	Q53HL2
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human colon cancer and human lung cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	31 kDa
WB Positive control:	293T cells
WB Recommended dilution:	1000-5000



