

## 兔抗 CDK5 多克隆抗体

中文名称：兔抗 CDK5 多克隆抗体

英文名称：Anti-CDK5 rabbit polyclonal antibody

别名：PSSALRE

抗原：CDK5

储存：冷冻（-20℃）

宿主：Rabbit

相关类别：一抗

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Cyclin-dependent kinases (CDKs) are serine/threonine kinases that are activated by cyclins and govern eukaryotic cell cycle progression. While CDK5 shares high sequence homology with its family members, it is thought mainly to function in postmitotic neurons to regulate the cytoarchitecture of these cells. Analogous to cyclins, the regulatory subunits p35 and p39 associate with and activate CDK5 despite the lack of sequence homology.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	CDK5
<b>Immunogen:</b>	Fusion protein of human CDK5

<b>Full name:</b>	cyclin-dependent kinase 5
<b>Synonyms :</b>	PSSALRE
<b>SwissProt:</b>	Q00535
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human colon cancer and human brain
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	33 kDa
<b>WB Positive control:</b>	Jurkat and NIH/3T3 cells
<b>WB Recommended dilution:</b>	500-2000



