

## 兔抗 CDKN2B 多克隆抗体

中文名称：兔抗 CDKN2B 多克隆抗体

英文名称： Anti-CDKN2B rabbit polyclonal antibody

别名： P15; MTS2; TP15; CDK4I; INK4B; p15INK4b

相关类别： 一抗

储存： 冷冻（-20℃） 避光

抗原： CDKN2B

宿主： Rabbit

反应种属： Human Mouse Rat


标记物： Unconjugate



克隆类型： Unconjugate

### 技术规格

<b>Background:</b>	This gene lies adjacent to the tumor suppressor gene CDKN2A in a region that is frequently mutated and deleted in a wide variety of tumors. This gene encodes a cyclin-dependent kinase inhibitor, which forms a complex with CDK4 or CDK6, and prevents the activation of the CDK kinases, thus the encoded protein functions as a cell growth regulator that controls cell cycle G1 progression.
<b>Applications:</b>	WB, IHC, IF
<b>Name of antibody:</b>	CDKN2B
<b>Immunogen:</b>	Synthesized peptide derived from human p15 INK ant

	ibody.
<b>Full name:</b>	cyclin-dependent kinase inhibitor 2B (p15, inhibits CD K4)
<b>Synonyms :</b>	P15; MTS2; TP15; CDK4I; INK4B; p15INK4b
<b>SwissProt:</b>	P42772
<b>IHC positive control:</b>	Human lung carcinoma tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	15 kDa
<b>WB Positive control:</b>	Hela cells lysate
<b>WB Recommended dilution:</b>	500-3000
<b>IF positive control:</b>	Hela cells
<b>IF Recommend dilution:</b>	100-500





**mlbio** 梅联生物  
Good elisakit producers