

## 兔抗 CDKN2C 多克隆抗体

中文名称：兔抗 CDKN2C 多克隆抗体

英文名称： Anti-CDKN2C rabbit polyclonal antibody

别名： p18; INK4C; p18-INK4C

相关类别： 一抗

抗原： CDKN2C

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

**Background:**

The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase inhibitors. This protein has been shown to interact with CDK4 or CDK6, and prevent the activation of the CDK kinases, thus function as a cell growth regulator that controls cell cycle G1 progression. Ectopic expression of this gene was shown to suppress the growth of human cells in a manner that appears to correlate with the presence of a wild-type RB1 function. Studies in the knockout mice suggested the roles of this gene in regulating spermatogenesis, as well as in suppressing t

	umorigenesis. Two alternatively spliced transcript variants of this gene, which encode an identical protein, have been reported
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	CDKN2C
<b>Immunogen:</b>	Fusion protein of human CDKN2C
<b>Full name:</b>	cyclin-dependent kinase inhibitor 2C (p18, inhibits CDK4)
<b>Synonyms :</b>	p18; INK4C; p18-INK4C
<b>SwissProt:</b>	P42773
<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human thyroid cancer and human brain
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	18 kDa
<b>WB Positive control:</b>	Raji cells
<b>WB Recommended dilution:</b>	200-1000



