

兔抗 EFN1/2/3(Phospho-Tyr324) 多克隆抗体

中文名称：兔抗 EFN1/2/3(Phospho-Tyr324) 多克隆抗体

英文名称： Anti-EFN1/2/3(Phospho-Tyr324) rabbit polyclonal antibody

别名： CFND; CFNS; EFB1; EFL3; EPLG2; Elk-L; LERK2/HTKL; EPLG5; Htk-L; LERK5/EFL6; EPLG8; LERK8

相关类别： 一抗

储存： 冷冻 (-20℃) 避光

宿主： Rabbit

抗原： EFN1/2/3(Phospho-Tyr324)

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | The protein encoded by this gene is a type I membrane protein and a ligand of Eph-related receptor tyrosine kinases. It may play a role in cell adhesion and function in the development or maintenance of the nervous system. [provided by RefSeq, Jul 2008] |
| Applications: | WB, IHC |
| Name of antibody: | EFN1/2/3(Phospho-Tyr324) |
| Immunogen: | Peptide sequence around phosphorylation site of tyrosin |

| | |
|---------------------------------|--|
| | e 324 (G-D-Y(p)-G-H) derived from Human Ephrin B1/B2/B3 . |
| Full name: | ephrin-B1/ephrin-B2/ephrin-B3 |
| Synonyms : | CFND; CFNS; EFB1; EFL3; EPLG2; Elk-L; LERK2/HTKL; EPLG5; Htk-L; LERK5/EFL6; EPLG8; LERK8 |
| SwissProt: | P98172/P52799/Q15768 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 38/37/36 kDa |
| WB Positive control: | K562 cells lysates treated with serum |
| WB Recommended dilution: | 500-1000 |



