

兔抗 CELSR2 多克隆抗体

中文名称: 兔抗 CELSR2 多克隆抗体

英文名称: Anti-CELSR2 rabbit polyclonal antibody

别 名: EGFL2; MEGF3; CDHF10; Flamingo1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: CELSR2

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of the fl amingo subfamily, part of the cadherin superfamily. The f lamingo subfamily consists of nonclassic-type cadherins; a subpopulation that does not interact with catenins. The flamingo cadherins are located at the plasma membrane and have nine cadherin domains, seven epidermal growt h factor-like repeats and two laminin A G-type repeats in their ectodomain. They also have seven transmembrane domains, a characteristic unique to this subfamily. It is p ostulated that these proteins are receptors involved in contact-mediated communication, with cadherin domains ac



	ting as homophilic binding regions and the EGF-like dom ains involved in cell adhesion and receptor-ligand interac tions. The specific function of this particular member has not been determined.
Applications:	ELISA, IHC
Name of antibody:	CELSR2
Immunogen:	Synthetic peptide of human CELSR2
Full name:	cadherin, EGF LAG seven-pass G-type receptor 2
Synonyms:	EGFL2; MEGF3; CDHF10; Flamingo1
SwissProt:	Q9HCU4
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human brain and Human colon cancer
IHC Recommend dilution:	25-100

