

兔抗 CEND1 多克隆抗体

- 中文名称：兔抗 CEND1 多克隆抗体
- 英文名称：Anti-CEND1 rabbit polyclonal antibody
- 别名：cell cycle exit and neuronal differentiation 1; BM88
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：CEND1
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

BM88, also known as CEND1 (cell cycle exit and neuronal differentiation protein 1), is a 149 amino acid protein that belongs to the CEND1 family. Involved in neuroblastoma cell differentiation, BM88 is a single-pass type IV membrane protein that is neuron specific. It is suggested that BM88 forms a dimer of two identical polypeptides linked by disulfide bridges. BM88 has a central proline-rich region containing four PxxP motifs, which typically bind SRC homology-3 (SH3) domains, as well as a putative C-terminal transmembrane region, and several potential sites for N-glycosylation.

| | |
|------------------------------------|--|
| | on, myristoylation and phosphorylation. It is also suggested that a novel signaling mechanism exists by which BM88 interferes with calcium release from inositol 1,4,5-trisphosphate-sensitive stores and exerts anti-proliferative and anti-apoptotic functions. BM88 is an important molecular target for HDAC inhibition, and transcription of BM88 is induced by trichostatin-A. |
| Applications: | ELISA, IHC |
| Name of antibody: | CEND1 |
| Immunogen: | Synthetic peptide of human CEND1 |
| Full name: | cell cycle exit and neuronal differentiation 1 |
| Synonyms: | BM88 |
| SwissProt: | Q8N111 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human liver cancer and human prostate cancer |
| IHC Recommend dilution: | 25-100 |



