

兔抗 ENG 多克隆抗体

中文名称: 兔抗 ENG 多克隆抗体

英文名称: Anti-ENG rabbit polyclonal antibody

别 名: endoglin; END; HHT1; ORW1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: ENG

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes a homodimeric transmembrane protein which is a major glycoprotein of the vascular endothelium. This protein is a component of the transforming growth factor beta receptor complex and it binds to the beta and beta peptides with high affinity. Mutations in this gene cause hereditary hemorrhagic telangiectasia, also known as Osler-Rendu-Weber syndrome 1, an autosomal dominant multisystemic vascular dysplasia. This gene may also be involved in preeclampsia and several types of cancer. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.



| Applications: | ELISA, WB, IHC |
|------------------------------------|--------------------------------------|
| Name of antibody: | ENG |
| Immunogen: | Fusion protein of human ENG |
| Full name: | endoglin |
| Synonyms: | END; HHT1; ORW1 |
| SwissProt: | P17813 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human liver cancer |
| IHC Recommend dilution: | 100-200 |
| WB Predicted band size: | 71 kDa |
| WB Positive control: | HepG2, Jurkat and MCF-7 cell lysates |
| WB Recommended dilution: | 500-2000 |





