

兔抗 ENO1 多克隆抗体

中文名称: 兔抗 ENO1 多克隆抗体

英文名称: Anti-ENO1 rabbit polyclonal antibody

别 名: NNE; PPH; MPB1; ENO1L1

相关类别: 一抗

抗原: ENO1

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

This gene encodes alpha-enolase, one of three enolase is oenzymes found in mammals. Each isoenzyme is a homo dimer composed of 2 alpha, 2 gamma, or 2 beta subunit s, and functions as a glycolytic enzyme. Alpha-enolase in addition, functions as a structural lens protein (tau-crystall in) in the monomeric form. Alternative splicing of this ge ne results in a shorter isoform that has been shown to bi nd to the c-myc promoter and function as a tumor suppr essor. Several pseudogenes have been identified, includin g one on the long arm of chromosome 1. Alpha-enolase has also been identified as an autoantigen in Hashimoto



	encephalopathy.
Applications:	ELISA, WB, IHC
Name of antibody:	ENO1
Immunogen:	Fusion protein of human ENO1
Full name:	enolase 1, (alpha)
Synonyms:	NNE; PPH; MPB1; ENO1L1
SwissProt:	P06733
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	47 kDa
WB Positive control:	Hela, A431 and hepG2 cells, mouse brain and liver tissue,
	mouse pancreas and human fetal brain tissue
WB Recommended dilution:	500-2000





