

## PDCD1LG2 抗原（重组蛋白）

中文名称：PDCD1LG2 抗原（重组蛋白）

英文名称：PDCD1LG2 Antigen (Recombinant Protein)

别名：B7DC; Btdc; PDL2; CD273; PD-L2; PDCD1L2; bA574F11.2

储存：冷冻（-20℃）

相关类别：抗原

概述：

Fusion protein corresponding to a region derived from 21-220 amino acids of human PDCD1LG2

技术规格：

<b>Full name:</b>	programmed cell death 1 ligand 2
<b>Synonyms:</b>	B7DC; Btdc; PDL2; CD273; PD-L2; PDCD1L2; bA574F11.2
<b>Swissprot:</b>	Q9BQ51
<b>Gene Accession:</b>	BC113678
<b>Purity:</b>	>85%, as determined by Coomassie blue stained SDS-PAGE
<b>Expression system:</b>	Escherichia coli
<b>Tags:</b>	His tag C-Terminus, GST tag N-Terminus
<b>Background:</b>	Programmed cell death 1 ligand 2 (also known as PD-L2, B7-DC) is a protein that in humans is encoded by the PDCD1LG2 gene. PD CD1LG2 has also been designated as CD273 (cluster of differentiation 273). Involved in the costimulatory signal, essential for T-cell proliferation and IFNG production in a PDCD1-independent manner. Interaction with PDCD1 inhibits T-cell proliferation by blocking c

ell cycle progression and cytokine production.