

兔抗 EXD2 多克隆抗体

- 中文名称：兔抗 EXD2 多克隆抗体
- 英文名称：Anti-EXD2 rabbit polyclonal antibody
- 别名：exonuclease 3'-5' domain containing 2; EXDL2; C14orf114
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：EXD2
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	Exonuclease required for double-strand breaks resection and efficient homologous recombination. Plays a key role in controlling the initial steps of chromosomal break repair, it is recruited to chromatin in a damage-dependent manner and functionally interacts with the MRN complex to accelerate resection through its 3'-5' exonuclease activity, which efficiently processes double-stranded DNA substrates containing nicks.
Applications:	ELISA, WB, IHC
Name of antibody:	EXD2
Immunogen:	Fusion protein of human EXD2

Full name:	exonuclease 3'-5' domain containing 2
Synonyms:	EXDL2; C14orf114
SwissProt:	Q9NVH0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer
IHC Recommend dilution:	40-200
WB Predicted band size:	70 kDa
WB Positive control:	Mouse testis tissue lysate
WB Recommended dilution:	200-1000



