

## 兔抗 Fadd(Phospho-Ser191) 多克隆抗体

中文名称：兔抗 Fadd(Phospho-Ser191) 多克隆抗体

英文名称： Anti-Fadd(Phospho-Ser191) rabbit polyclonal antibody

别名： GIG3; MORT1

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： Fadd(Phospho-Ser191)

反应种属： Human Mouse

标记物： Unconjugate

克隆类型： Unconjugate

### 技术规格

#### Background:

The protein encoded by this gene is an adaptor molecule that interacts with various cell surface receptors and mediates cell apoptotic signals. Through its C-terminal death domain, this protein can be recruited by TNF-RSF6/Fas-receptor, tumor necrosis factor receptor, TNF-RSF25, and TNFSF10/TRAIL-receptor, and thus it participates in the death signaling initiated by these receptors. Interaction of this protein with the receptors unmask the N-terminal effector domain of this protein, which allows it to recruit caspase-8, and thereby activate the cysteine protease cascade. Knockout studies in mice al

	so suggest the importance of this protein in early T cell development. [provided by RefSeq, Jul 2008]
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	Fadd(Phospho-Ser191)
<b>Immunogen:</b>	Peptide sequence around phosphorylation site of Serine191(R-S-G(p)-A-M) derived from Human FADD.
<b>Full name:</b>	Fas (TNFRSF6)-associated via death domain
<b>Synonyms :</b>	GIG3; MORT1
<b>SwissProt:</b>	Q13158
<b>IHC positive control:</b>	Human breast carcinoma tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	23 kDa
<b>WB Positive control:</b>	Jurkat cells lysates treated with PMA
<b>WB Recommended dilution:</b>	500-1000



