

兔抗 FARP2 多克隆抗体

中文名称：兔抗 FARP2 多克隆抗体

英文名称：Anti-FARP2 rabbit polyclonal antibody

别名：FERM, ARH/RhoGEF and pleckstrin domain protein 2; FIR; FRG; PLEKHC3

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：FARP2

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Functions as guanine nucleotide exchange factor that activates RAC1. May have relatively low activity. Plays a role in the response to class 3 semaphorins and remodeling of the actin cytoskeleton. Plays a role in TNFSF11-mediated osteoclast differentiation, especially in podosome rearrangement and reorganization of the actin cytoskeleton. Regulates the activation of ITGB3, integrin signaling and cell adhesion (By similarity).
Applications:	ELISA, IHC
Name of antibody:	FARP2
Immunogen:	Fusion protein of human FARP2

Full name:	FERM, ARH/RhoGEF and pleckstrin domain protein 2
Synonyms:	FIR; FRG; PLEKHC3
SwissProt:	O94887
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	50-200



