

兔抗 FAS 多克隆抗体

中文名称：兔抗 FAS 多克隆抗体

英文名称：Anti-FAS rabbit polyclonal antibody

别名：APT1; CD95; FAS1; APO-1; FASTM; ALPS1A; TNFRSF6

相关类别：一抗

抗原：FAS

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contains a death domain. It has been shown to play a central role in the physiological regulation of programmed cell death, and has been implicated in the pathogenesis of various malignancies and diseases of the immune system. The interaction of this receptor with its ligand allows the formation of a death-inducing signaling complex that includes Fas-associated death domain protein (FADD), caspase 8, and caspase 10. The autoproteolytic processing of the caspases in the complex t

	<p>iggers a downstream caspase cascade, and leads to apoptosis. This receptor has been also shown to activate NF-kappaB, MAPK3/ERK1, and MAPK8/JNK, and is found to be involved in transducing the proliferating signals in normal diploid fibroblast and T cells. Several alternatively spliced transcript variants have been described, some of which are candidates for nonsense-mediated mRNA decay (NMD). The isoforms lacking the transmembrane domain may negatively regulate the apoptosis mediated by the full length isoform.</p>
Applications:	ELISA, WB
Name of antibody:	FAS
Immunogen:	Fusion protein of human FAS
Full name:	Fas cell surface death receptor
Synonyms:	APT1; CD95; FAS1; APO-1; FASTM; ALPS1A; TNFRSF6
SwissProt:	P25445
ELISA Recommended dilution:	5000-10000
WB Predicted band size:	38 kDa
WB Positive control:	Mouse brain tissue, Human cerebrum tissue, Human cerebella tissue lysates
WB Recommended dilution:	1000-5000

