

兔抗 FBXW8 多克隆抗体

中文名称: 兔抗 FBXW8 多克隆抗体

英文名称: Anti-FBXW8 rabbit polyclonal antibody

别 名: F-box and WD repeat domain containing 8; FBW6; FBW8; FBX29; FBXW6; FBXO29

相关类别: 一抗

抗 原: FBXW8

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SK P1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are di vided into three classes: Fbws containing WD-40 d omains, Fbls containing leucine-rich repeats, and Fb xs containing either different protein-protein interac

This gene encodes a member of the F-box protein family, members of which are characterized by an

tion modules or no recognizable motifs. The protei



| | n encoded by this gene contains a WD-40 domain, in addition to an F-box motif, so it belongs to the Fbw class. Alternatively spliced transcript variants e ncoding distinct isoforms have been identified for this gene. |
|-----------------------------|--|
| Applications: | ELISA, IHC |
| Name of antibody: | FBXW8 |
| Immunogen: | Synthetic peptide of human FBXW8 |
| Full name: | F-box and WD repeat domain containing 8 |
| Synonyms: | FBW6; FBW8; FBX29; FBXW6; FBXO29 |
| SwissProt: | Q8N3Y1 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human esophagus cancer and Human breast cance r |
| IHC Recommend dilution: | 50-300 |





