

兔抗 GOLGA3 多克隆抗体

- 中文名称：兔抗 GOLGA3 多克隆抗体
- 英文名称：Anti-GOLGA3 rabbit polyclonal antibody
- 别名：golgin A3; MEA-2; GCP170
- 抗原：GOLGA3
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 反应种属：Human
- 相关类别：一抗
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

The Golgi apparatus, which participates in glycosylation and transport of proteins and lipids in the secretory pathway, consists of a series of stacked cisternae (flattened membrane sacs). Interactions between the Golgi and microtubules are thought to be important for the reorganization of the Golgi after it fragments during mitosis. This gene encodes a member of the golgin family of proteins which are localized to the Golgi. Its encoded protein has been postulated to play a role in nuclear transport and Golgi apparatus localization. Several alternatively spliced transcript variants that encode different protein isoforms have been

	n described for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	GOLGA3
Immunogen:	Synthetic peptide of human GOLGA3
Full name:	golgin A3
Synonyms:	MEA-2; GCP170
SwissProt:	Q08378
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human cervical cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	167 kDa
WB Positive control:	HepG2 cell lysate
WB Recommended dilution:	200-1000

kDa

250 —

130 —

95 —

72 —

55 —

36 —



