

兔抗 GRM1 多克隆抗体

- 中文名称：兔抗 GRM1 多克隆抗体
- 英文名称：Anti-GRM1 rabbit polyclonal antibody
- 别名：GRM1A, mGlu1, GPRC1A, MGLUR1, SCAR13, MGLUR1A
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：GRM1
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

L-glutamate is the major excitatory neurotransmitter in the central nervous system and activates both ionotropic and metabotropic glutamate receptors. Glutamatergic neurotransmission is involved in most aspects of normal brain function and can be perturbed in many neuropathologic conditions. The metabotropic glutamate receptors are a family of G protein-coupled receptors, that have been divided into 3 groups on the basis of sequence homology, putative signal transduction mechanisms, and pharmacologic properties. Group I includes GRM1 and GRM5 and these receptors have been shown to activate pho

	<p>spholipase C. Group II includes GRM2 and GRM3 while Group III includes GRM4, GRM6, GRM7 and GRM8. Group II and III receptors are linked to the inhibition of the cyclic AMP cascade but differ in their agonist selectivities. The canonical alpha isoform of the metabotropic glutamate receptor 1 gene is a disulfide-linked homodimer whose activity is mediated by a G-protein-coupled phosphatidylinositol-calcium second messenger system. Alternative splicing results in multiple transcript variants encoding distinct isoforms; some of which may have distinct functions.</p>
Applications:	ELISA, IHC
Name of antibody:	GRM1
Immunogen:	Synthetic peptide of human GRM1
Full name:	glutamate receptor, metabotropic 1
Synonyms :	GRM1A, mGlu1, GPRC1A, MGLUR1, SCAR13, MGLUR1A
SwissProt:	Q13255
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human colon cancer and Human ovarian cancer
IHC Recommend dilution:	10-50

