

兔抗 MADD 多克隆抗体

中文名称：兔抗 MADD 多克隆抗体

英文名称： Anti-MADD rabbit polyclonal antibody

别名： DENN; IG20; RAB3GEP

相关类别： 一抗

储存： 冷冻（-20℃） 避光

抗原： MADD

宿主： Rabbit

反应种属： Human Mouse Rat

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:

Tumor necrosis factor alpha (TNF-alpha) is a signaling molecule that interacts with one of two receptors on cells targeted for apoptosis. The apoptotic signal is transduced inside these cells by cytoplasmic adaptor proteins. The protein encoded by this gene is a death domain-containing adaptor protein that interacts with the death domain of TNF-alpha receptor 1 to activate mitogen-activated protein kinase (MAPK) and propagate the apoptotic signal. It is membrane-bound and expressed at a higher level in neoplastic cells than in normal cells. Several transcript variants encoding different is

	oforms have been described for this gene.
Applications:	WB, IHC, IF
Name of antibody:	MADD
Immunogen:	Synthesized peptide derived from internal of human MADD.
Full name:	MAP-kinase activating death domain
Synonyms :	DENN; IG20; RAB3GEP
SwissProt:	Q8WXG6
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	183 kDa
WB Positive control:	COLO cells, Hela cells and Jurkat cells lysates
WB Recommended dilution:	500-3000
IF positive control:	A549 cells
IF Recommend dilution:	100-500



