

兔抗 MAP3K2 多克隆抗体

中文名称：兔抗 MAP3K2 多克隆抗体

英文名称：Anti-MAP3K2 rabbit polyclonal antibody

别名：MEKK2; MEKK2B

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MAP3K2

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of serine/threonine protein kinase family. This kinase preferentially activates other kinases involved in the MAP kinase signaling pathway. This kinase has been shown to directly phosphorylate and activate I κ B kinases, and thus plays a role in NF- κ B signaling pathway. This kinase has also been found to bind and activate protein kinase C-related kinase 2, which suggests its involvement in a regulated signaling process.
Applications:	ELISA, WB, IHC
Name of antibody:	MAP3K2

Immunogen:	Synthetic peptide of human MAP3K2
Full name:	mitogen-activated protein kinase kinase kinase 2
Synonyms :	MEKK2; MEKK2B
SwissProt:	Q9Y2U5
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human breast cancer and human gastric cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	70 kDa
WB Positive control:	231 and Hepg2 cell
WB Recommended dilution:	200-1000



