

## 兔抗 HDAC8 多克隆抗体

中文名称:	兔抗 HDAC8 多克隆抗体
英文名称:	Anti-HDAC8 rabbit polyclonal antibody
别名:	HD8; WTS; RPD3; CDA07; CDLS5; MRXS6; HDACL1
抗原:	HDAC8
储存:	冷冻 (-20℃)
宿主:	Rabbit
相关类别:	一抗
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class I of the histone deacetylase family. It catalyzes the deacetylation of lysine residues in the histone N-terminal tails and represses transcription in large multiprotein complexes with transcriptional co-repressors.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	HDAC8
<b>Immunogen:</b>	Fusion protein of human HDAC8

<b>Full name:</b>	histone deacetylase 8
<b>Synonyms :</b>	HD8; WTS; RPD3; CDA07; CDLS5; MRXS6; HDACL1
<b>SwissProt:</b>	Q9BY41
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human brain and human esophagus cancer
<b>IHC Recommend dilution:</b>	50-200

