

兔抗 HIST1H3D (Phospho-Ser10)多克隆抗体

中文名称：兔抗 HIST1H3D (Phospho-Ser10)多克隆抗体

英文名称：Anti-HIST1H3D (Phospho-Ser10) rabbit polyclonal antibody

别名：H3/b; H3FB

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：HIST1H3D (Phospho-Ser10)

反应种属：Human, Mouse, Rat


标记物：Unconjugate



克隆类型：rabbit polyclonal

技术规格

Background:	Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.
Applications:	WB, IHC, IF
Name of antibody:	HIST1H3D (Phospho-Ser10)
Immunogen:	Synthetic peptide of human HIST1H3D (Phospho-Ser10)

Full name:	histone cluster 1, H3d (Phospho-Ser10)
Synonyms :	H3/b; H3FB
SwissProt:	P68431
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	15 kDa
WB Positive control:	293 cells treated with serum
WB Recommended diluti on:	500-1000
IF Positive control:	Hela cells
IF Recommended dilution	100-200





mlbio 梅联生物
Good elisakit producers