

CRTAM 抗原（重组蛋白）

中文名称：CRTAM 抗原（重组蛋白）

英文名称： CRTAM Antigen (Recombinant Protein)

储 存： 冷冻（-20℃）

相关类别： 抗原

概述

Fusion protein corresponding to a region derived from 38-287 amino acids of human CRTAM

技术规格

Full name:	cytotoxic and regulatory T cell molecule
Synonyms:	CD355
Swissprot:	O95727
Gene Accession:	BC070266
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	Class-I MHC-restricted T cell associated molecule (CRTAM) is a receptor that is primarily expressed on activated cytotoxic lymphocytes, where it may play a role in their adhesion, interaction or migration. It is one of the most highly expressed surface markers detected on activated human NK T cells and CD8 T cells, suggesting its use as a diagnostic tool in various human viral and autoimmune diseases. CRTAM binds nectin-like protein 2 (necl2), which is involved in IL-22 expression regulation. This Necl2/CRTAM molecular pair may regulate cell/cell interactions and may play a role in neuronal interactions. CRTAM is also highly expressed in P

urkinje neurons in the cerebellum.