

兔抗 HMG20A 多克隆抗体

中文名称：兔抗 HMG20A 多克隆抗体

英文名称：Anti-HMG20A rabbit polyclonal antibody

别名：high mobility group 20A; HMGX1; HMGXB1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：HMG20A

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Plays a role in neuronal differentiation as chromatin-associated protein. Acts as inhibitor of HMG20B. Overcomes the repressive effects of the neuronal silencer REST and induces the activation of neuronal-specific genes. Involved in the recruitment of the histone methyltransferase KMT2A/MLL1 and consequent increased methylation of histone H3 lysine 4 (By similarity).
Applications:	ELISA, WB, IHC
Name of antibody:	HMG20A
Immunogen:	Fusion protein of human HMG20A
Full name:	high mobility group 20A
Synonyms:	HMGX1; HMGXB1

SwissProt:	Q9NP66
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	40 kDa
WB Positive control:	293T cell lysate
WB Recommended dilution:	200-1000



