

兔抗 MED27 多克隆抗体

中文名称：兔抗 MED27 多克隆抗体

英文名称：Anti-MED27 rabbit polyclonal antibody

别名：CRSP8; CRAP34; CRSP34; TRAP37

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：MED27

反应种属：Human Mouse

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:

The activation of gene transcription is a multistep process that is triggered by factors that recognize transcriptional enhancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1. This protein is also a component of other multisubunit complexes e.g. thyroid hormone receptor-(TR-) associated proteins which interact with TR and facilitate TR function on DNA templates in conjunction with initiation factors a

	nd cofactors. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 5.
Applications:	WB
Name of antibody:	MED27
Immunogen:	Synthesized peptide derived from Internal of human MED27
Full name:	mediator complex subunit 27
Synonyms :	CRSP8; CRAP34; CRSP34; TRAP37
SwissProt:	Q6P2C8
WB Predicted band size:	35 kDa
WB Positive control:	Hela cells lysate
WB Recommended dilution:	500-3000

