

兔抗 MEF2C(Phospho-Ser396) 多克隆抗体

中文名称：兔抗 MEF2C(Phospho-Ser396) 多克隆抗体

英文名称： Anti-MEF2C(Phospho-Ser396) rabbit polyclonal antibody

别名： DEL5q14.3; C5DELq14.3

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： MEF2C(Phospho-Ser396)

反应种属： Human Mouse

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

| | |
|----------------------|---|
| Background: | This locus encodes a member of the MADS box transcripti on enhancer factor 2 (MEF2) family of proteins, which pla y a role in myogenesis. The encoded protein, MEF2 polyp eptide C, has both trans-activating and DNA binding activi ties. This protein may play a role in maintaining the differ entiated state of muscle cells. Mutations and deletions at this locus have been associated with severe mental retard ation, stereotypic movements, epilepsy, and cerebral malfo rrmation. Alternatively spliced transcript variants have been described. [provided by RefSeq, Jul 2010] |
| Applications: | WB, IHC |

| | |
|---------------------------------|--|
| Name of antibody: | MEF2C(Phospho-Ser396) |
| Immunogen: | Peptide sequence around phosphorylation site of Serine 396(P-V-S(p)-P-P) derived from Human MEF2C. |
| Full name: | myocyte enhancer factor 2C |
| Synonyms : | DEL5q14.3; C5DELq14.3 |
| SwissProt: | Q06413 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 51 kDa |
| WB Positive control: | COS7 cells lysates |
| WB Recommended dilution: | 500-1000 |



