

兔抗 MITF(Ab-180/73) 多克隆抗体

中文名称：兔抗 MITF(Ab-180/73) 多克隆抗体

英文名称： Anti-MITF(Ab-180/73) rabbit polyclonal antibody

别名： MI; WS2; CMM8; WS2A; bHLHe32

抗原： MITF(Ab-180/73)

储存： 冷冻（-20℃） 避光

宿主： Rabbit

反应种属： Human Mouse

相关类别： 一抗

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:	This gene encodes a transcription factor that contains both basic helix-loop-helix and leucine zipper structural features. It regulates the differentiation and development of melanocytes retinal pigment epithelium and is also responsible for pigment cell-specific transcription of the melanogenesis enzyme genes. Heterozygous mutations in the this gene cause auditory-pigmentary syndromes, such as Waardenburg syndrome type 2 and Tietz syndrome.
Applications:	WB, IHC, IF
Name of antibody:	MITF(Ab-180/73)
Immunogen:	Synthesized non-phosphopeptide derived from human MITF

	around the phosphorylation site of serine 180/73 (P-N-S(p)-P-M).
Full name:	microphthalmia-associated transcription factor
Synonyms :	MI; WS2; CMM8; WS2A; bHLHe32
SwissProt:	O75030
IHC positive control:	Human skin tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	59 kDa
WB Positive control:	HepG2 cells and COLO205 lysates
WB Recommended dilution:	500-3000
IF positive control:	Hela cells
IF Recommend dilution:	100-500



