

## 兔抗 HORMAD2 多克隆抗体

- 中文名称：兔抗 HORMAD2 多克隆抗体
- 英文名称：Anti-HORMAD2 rabbit polyclonal antibody
- 别名：HORMA domain containing 2; CT46.2
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：HORMAD2
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

**Background:**

Essential for synapsis surveillance during meiotic prophase via the recruitment of ATR activity. Plays a key role in the male mid-pachytene checkpoint and the female meiotic prophase checkpoint: required for efficient build-up of ATR activity on unsynapsed chromosome regions, a process believed to form the basis of meiotic silencing of unsynapsed chromatin (MSUC) and meiotic prophase quality control in both sexes. Required for the DNA double-strand break-independent, BRCA1-dependent activation of ATR on the sex chromosomes that is essential for normal sex body formation (By similarity).

<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	HORMAD2
<b>Immunogen:</b>	Fusion protein of human HORMAD2
<b>Full name:</b>	HORMA domain containing 2
<b>Synonyms:</b>	CT46.2
<b>SwissProt:</b>	Q8N7B1
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human thyroid cancer and Human tonsil
<b>IHC Recommend dilution:</b>	50-200



