

兔抗 MRPL24 多克隆抗体

- 中文名称: 兔抗 MRPL24 多克隆抗体
- 英文名称: Anti-MRPL24 rabbit polyclonal antibody
- 别名: L24mt; MRP-L18; MRP-L24
- 抗 原: MRPL24
- 储存: 冷冻(-20℃)避光
- 宿 主: Rabbit
- 相关类别: 一抗
- 反应种属: Human Mouse
- 标记物: Unconjugate
- 克隆类型: Unconjugate

技术规格

| | Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) co |
|-------------|--|
| | nsist of a small 28S subunit and a large 39S subunit. They |
| | have an estimated 75% protein to rRNA composition comp |
| Background: | ared to prokaryotic ribosomes, where this ratio is reversed. |
| | Another difference between mammalian mitoribosomes and |
| | prokaryotic ribosomes is that the latter contain a 5S rRNA. |
| | Among different species, the proteins comprising the mitori |
| | bosome differ greatly in sequence, and sometimes in bioch |
| | emical properties, which prevents easy recognition by sequ |



| | ence homology. This gene encodes a 39S subunit protein which is more than twice the size of its E.coli counterpart (EcoL24). Sequence analysis identified two transcript variants that encode the same protein. |
|--------------------------|---|
| Applications: | WB, IHC |
| Name of antibody: | MRPL24 |
| Immunogen: | Synthesized peptide derived from internal of human MRPL2 4. |
| Full name: | mitochondrial ribosomal protein L24 |
| Synonyms : | L24mt; MRP-L18; MRP-L24 |
| SwissProt: | Q96A35 |
| IHC positive control: | Human breast carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 25 kDa |
| WB Positive control: | Huvec cells lysate |
| WB Recommended dilution: | 500-3000 |





