



兔抗 HSD11B2 多克隆抗体

中文名称： 兔抗 HSD11B2 多克隆抗体

英文名称： Anti-HSD11B2 rabbit polyclonal antibody

别 名： AME; AME1; HSD2; HSD11K; SDR9C3

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： HSD11B2

反应种属： Human


标 记 物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	There are at least two isozymes of the corticosteroid 11-beta-dehydrogenase, a microsomal enzyme complex responsible for the interconversion of cortisol and cortisone. The type I isozyme has both 11-beta-dehydrogenase (cortisol to cortisone) and 11-oxoreductase (cortisone to cortisol) activities. The type II isozyme, encoded by this gene, has only 11-beta-dehydrogenase activity.
Applications:	ELISA, WB, IHC
Name of antibody:	HSD11B2
Immunogen:	Synthetic peptide of humanHSD11B2
Full name:	hydroxysteroid (11-beta) dehydrogenase 2

Synonyms :	AME; AME1; HSD2; HSD11K; SDR9C3
SwissProt:	P80365
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer and Human prostate cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	44 kDa
WB Positive control:	Human normal kidney tissue
WB Recommended dilution:	200-1000



mlbio 海聯生物
Good elisakit producers

