

兔抗 HSD17B8 多克隆抗体

中文名称：兔抗 HSD17B8 多克隆抗体

英文名称：Anti-HSD17B8 rabbit polyclonal antibody

别名：KE6; FABG; HKE6; FABGL; RING2; H2-KE6; SDR30C1; D6S2245E; dj1033B10.9

相关类别：一抗

抗原：HSD17B8

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	In mice, the Ke6 protein is a 17-beta-hydroxysteroid dehydrogenase that can regulate the concentration of biologically active estrogens and androgens. It is preferentially an oxidative enzyme and inactivates estradiol, testosterone, and dihydrotestosterone. However, the enzyme has some reductive activity and can synthesize estradiol from estrone. The protein encoded by this gene is similar to Ke6 and is a member of the short-chain dehydrogenase superfamily. An alternatively spliced transcript of this gene has been detected, but the full-length nature of this variant has not been determined.
Applications:	ELISA, WB, IHC
Name of antibody:	HSD17B8

Immunogen:	Fusion protein of human HSD17B8
Full name:	hydroxysteroid (17-beta) dehydrogenase 8
Synonyms :	KE6; FABG; HKE6; FABGL; RING2; H2-KE6; SDR30C1; D6S2245E; dJ1033B10.9
SwissProt:	Q92506
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	27 kDa
WB Positive control:	Human testis tissue
WB Recommended dilution:	500-2000



