

兔抗 HSD17B10 多克隆抗体

中文名称：兔抗 HSD17B10 多克隆抗体

英文名称：Anti-HSD17B10 rabbit polyclonal antibody

别名：ABAD; CAMR; ERAB; HCD2; MHBD; HADH2; MRPP2; MRX17; MRX31; SCHAD; MRXS10; SDR5C1; 17b-HSD10; DUPXp11.22

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：HSD17B10

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:

This gene encodes 3-hydroxyacyl-CoA dehydrogenase type II, a member of the short-chain dehydrogenase/reductase super family. The gene product is a mitochondrial protein that catalyzes the oxidation of a wide variety of fatty acids and steroids, and is a subunit of mitochondrial ribonuclease P, which is involved in tRNA maturation. The protein has been implicated in the development of Alzheimer disease, and mutations in the gene are the cause of 17beta-hydroxysteroid dehydr

	ogenase type 10 (HSD10) deficiency.
Applications:	ELISA, WB
Name of antibody:	HSD17B10
Immunogen:	Synthetic peptide of human HSD17B10
Full name:	hydroxysteroid (17-beta) dehydrogenase 10
Synonyms :	ABAD; CAMR; ERAB; HCD2; MHBD; HADH2; MRPP2; MRX17; MRX31; SCHAD; MRXS10; SDR5C1; 17b-HSD10; DUPXp11.22
SwissProt:	Q99714
ELISA Recommended dilution:	2000-5000
WB Predicted band size:	27 kDa
WB Positive control:	HUVEC , HepG2 , Hela , K562 , 293T and Jurkat cell
WB Recommended dilution :	200-1000



