

## 兔抗 HSPB1 (Phospho-Ser78)多克隆抗体

- 中文名称： 兔抗 HSPB1 (Phospho-Ser78)多克隆抗体
- 英文名称： Anti-HSPB1 (Phospho-Ser78) rabbit polyclonal antibody
- 别名： CMT2F; HMN2B; HSP27; HSP28; Hsp25; SRP27; HS.76067
- 相关类别： 一抗
- 储存： 冷冻（-20℃） 避光
- 宿主： Rabbit
- 抗原： HSPB1 (Phospho-Ser78)
- 反应种属： Human
- 标记物： Unconjugate
- 克隆类型： rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | The protein encoded by this gene is induced by environmental stress and developmental changes. The encoded protein is involved in stress resistance and actin organization and translocates from the cytoplasm to the nucleus upon stress induction. Defects in this gene are a cause of Charcot-Marie-Tooth disease type 2F (CMT2F) and distal hereditary motor neuropathy (dHMN). |
| <b>Applications:</b>     | WB, IHC, IF   |
| <b>Name of antibody:</b> | HSPB1 (Phospho-Ser78)   |
| <b>Immunogen:</b>        | Synthetic peptide of human HSPB1 (Phospho-Ser78)  |
| <b>Full name:</b>        | heat shock 27kDa protein 1 (Phospho-Ser78)  |

|                                  |  |
|----------------------------------|--|
| <b>Synonyms :</b>                | CMT2F; HMN2B; HSP27; HSP28; Hsp25; SRP27; HS.76067 |
| <b>SwissProt:</b>                | P04792   |
| <b>IHC positive control:</b>     | Human breast carcinoma                             |
| <b>IHC Recommended dilution:</b> | 50-100   |
| <b>WB Predicted band size:</b>   | 23 kDa   |
| <b>WB Positive control:</b>      | HL60 cells treated with UV                         |
| <b>WB Recommended dilution:</b>  | 500-1000   |
| <b>IF Positive control:</b>      | Hela cells   |
| <b>IF Recommended dilution</b>   | 100-200  |





