

## 兔抗 MYCN 多克隆抗体

中文名称：兔抗 MYCN 多克隆抗体

英文名称：Anti-MYCN rabbit polyclonal antibody

别名：NMYC; ODED; MODED; N-myc; MYCNOT; bHLHe37

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MYCN

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene is a member of the MYC family and encodes a protein with a basic helix-loop-helix (bHLH) domain. This protein is located in the nucleus and must dimerize with another bHLH protein in order to bind DNA. Amplification of this gene is associated with a variety of tumors, most notably neuroblastomas. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	MYCN
<b>Immunogen:</b>	Synthetic peptide of human MYCN

<b>Full name:</b>	MYCN proto-oncogene, bHLH transcription factor
<b>Synonyms:</b>	NMYC; ODED; MODED; N-myc; bHLHe37
<b>SwissProt:</b>	P04198
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human breast cancer
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	50 kDa
<b>WB Positive control:</b>	293T cell lysate
<b>WB Recommended dilution:</b>	200-1000



