

兔抗 NAA60 多克隆抗体

- 中文名称：兔抗 NAA60 多克隆抗体
- 英文名称：Anti-NAA60 rabbit polyclonal antibody
- 别名：HAT4; NAT15
- 相关类别：一抗
- 抗原：NAA60
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	Histone acetyltransferase localized in the Golgi apparatus that mediates acetylation of free histone H4, thereby facilitating nucleosome assembly. Has a preference for free histone H4 'Lys-20'(H4K20ac), 'Lys-79'(H4K79ac) and 'Lys-91' (H4K91ac). Also displays alpha (N-terminal) acetyltransferase activity towards a range of N-terminal sequences including those starting with Met-Lys, Met-Val, Met-Ala and Met-Met. Required for normal chromosomal segregation during anaphase.
Applications:	ELISA, IHC
Name of antibody:	NAA60

Immunogen:	Full length fusion protein
Full name:	N(alpha)-acetyltransferase 60, NatF catalytic subunit
Synonyms :	HAT4; NAT15
SwissProt:	Q9H7X0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and Human prostate cancer
IHC Recommend dilution:	25-100



