

兔抗 NAPRT 多克隆抗体

中文名称：兔抗 NAPRT 多克隆抗体

英文名称：Anti-NAPRT rabbit polyclonal antibody

别名：nicotinate phosphoribosyltransferase; NAPRT1; PP3856

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：NAPRT

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Nicotinic acid (NA; niacin) is converted by nicotinic acid phosphoribosyltransferase (NAPRT; EC 2.4.2.11) to NA mononucleotide (NaMN), which is then converted to NA adenine dinucleotide (NaAD), and finally to nicotinamide adenine dinucleotide (NAD), which serves as a coenzyme in cellular redox reactions and is an essential component of a variety of processes in cellular metabolism including response to stress (Hara et al., 2007).
Applications:	ELISA, IHC
Name of antibody:	NAPRT
Immunogen:	Fusion protein of human NAPRT

Full name:	nicotinate phosphoribosyltransferase
Synonyms:	NAPRT1; PP3856
SwissProt:	Q6XQN6
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human breast cancer
IHC Recommend dilution:	50-300



