

## 兔抗 TSC2 多克隆抗体

中文名称：兔抗 TSC2 多克隆抗体

英文名称：Anti-TSC2 rabbit polyclonal antibody

别名：LAM; TSC4; PPP1R160

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：TSC2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                    |  |
|--------------------|--|
| <b>Background:</b> | Mutations in this gene lead to tuberous sclerosis is complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as |
|--------------------|--|

|                                    |   |
|------------------------------------|---|
|                                    | a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. |
| <b>Applications:</b>               | ELISA, WB, IHC  |
| <b>Name of antibody:</b>           | TSC2  |
| <b>Immunogen:</b>                  | Synthetic peptide of humanTSC2  |
| <b>Full name:</b>                  | tuberous sclerosis 2  |
| <b>Synonyms :</b>                  | LAM; TSC4; PPP1R160   |
| <b>SwissProt:</b>                  | P49815  |
| <b>ELISA Recommended dilution:</b> | 1000-2000   |
| <b>IHC positive control:</b>       | Human esophagus cancer  |
| <b>IHC Recommend dilution:</b>     | 10-50   |
| <b>WB Predicted band size:</b>     | 201 kDa   |
| <b>WB Positive control:</b>        | A172 cells  |
| <b>WB Recommended dilution:</b>    | 200-1000  |

