

兔抗 NCOA4 多克隆抗体

中文名称：兔抗 NCOA4 多克隆抗体

英文名称： Anti-NCOA4 rabbit polyclonal antibody

别名： nuclear receptor coactivator 4; RFG; ELE1; PTC3; ARA70

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： NCOA4

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes an androgen receptor coactivator. The encoded protein interacts with the androgen receptor in a ligand-dependent manner to enhance its transcriptional activity. Chromosomal translocations between this gene and the ret tyrosine kinase gene, also located on chromosome 10, have been associated with papillary thyroid carcinoma. Alternatively spliced transcript variants have been described. Pseudogenes are present on chromosomes 4, 5, 10, and 14.
Applications:	ELISA, IHC
Name of antibody:	NCOA4
Immunogen:	Fusion protein of human NCOA4

Full name:	nuclear receptor coactivator 4
Synonyms:	RFG; ELE1; PTC3; ARA70
SwissProt:	Q13772
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	100-300



