

兔抗 TXNDC5 多克隆抗体

中文名称：兔抗 TXNDC5 多克隆抗体

英文名称： Anti-TXNDC5 rabbit polyclonal antibody

别名： MUTED-TXNDC5

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： TXNDC5

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This locus represents naturally occurring read-through transcription between the neighboring MUTED (muted homolog) and TXNDC5 (thioredoxin domain containing 5) genes on chromosome 6. The read-through transcript is a candidate for nonsense-mediated mRNA decay (NMD) and is unlikely to produce a protein product. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | TXNDC5 |
| Immunogen: | Full length fusion protein |
| Full name: | BLOC1S5-TXNDC5 readthrough (NMD candidate) |
| Synonyms : | MUTED-TXNDC5 |

| | |
|------------------------------------|---|
| SwissProt: | Q86UY0 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human breast cancer and Human liver cancer |
| IHC Recommend dilution: | 30-150 |
| WB Predicted band size: | 48 kDa |
| WB Positive control: | 293T, hela and hepg2 cell, human placenta and fetal muscle tissue, PC3 and HT-29 cell |
| WB Recommended dilution: | 1000-5000 |



