

兔抗 RCAN2 多克隆抗体

- 中文名称：兔抗 RCAN2 多克隆抗体
- 英文名称：Anti-RCAN2 rabbit polyclonal antibody
- 别名：CSP2; RCN2; MCIP2; ZAKI4; ZAKI-4; DSCR1L1
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：RCAN2
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of the regulator of calcineurin (RCAN) protein family. These proteins play a role in many physiological processes by binding to the catalytic domain of calcineurin A, inhibiting calcineurin-mediated nuclear translocation of the transcription factor NFATC1. Expression of this gene in skin fibroblasts is upregulated by thyroid hormone, and the encoded protein may also play a role in endothelial cell function and angiogenesis. Alternatively spliced transcript variants encoding multiple isoforms have been observed.

	ed for this gene.
Applications:	ELISA, IHC
Name of antibody:	RCAN2
Immunogen:	Synthetic peptide of human RCAN2
Full name:	regulator of calcineurin 2
Synonyms :	CSP2; RCN2; MCIP2; ZAKI4; ZAKI-4; DSCR1L1
SwissProt:	Q14206
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human brain
IHC Recommend dilution:	25-100

