

兔抗 NELFA 多克隆抗体

- 中文名称: 兔抗 NELFA 多克隆抗体
- 英文名称: Anti-NELFA rabbit polyclonal antibody
- 别 名: WHSC2; NELF-A; P/OKcl.15
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: NELFA
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

	This gene is expressed ubiquitously with higher levels in
	fetal than in adult tissues. It encodes a protein sharing 9
	3% sequence identity with the mouse protein. Wolf-Hirsc
	hhorn syndrome (WHS) is a malformation syndrome asso
	ciated with a hemizygous deletion of the distal short arm
Background:	of chromosome 4. This gene is mapped to the 165 kb ${\rm W}$
	HS critical region, and may play a role in the phenotype
	of the WHS or Pitt-Rogers-Danks syndrome. The encoded
	protein is found to be capable of reacting with HLA-A2-r
	estricted and tumor-specific cytotoxic T lymphocytes, sug
	gesting a target for use in specific immunotherapy for a



	large number of cancer patients. This protein has also be en shown to be a member of the NELF (negative elongat ion factor) protein complex that participates in the regula tion of RNA polymerase II transcription elongation.
Applications:	ELISA, WB, IHC
Name of antibody:	NELFA
Immunogen:	Fusion protein of human NELFA
Full name:	negative elongation factor complex member A
Synonyms:	WHSC2; NELF-A; P/OKcl.15
SwissProt:	Q9H3P2
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	57 kDa
WB Positive control:	NIH/3T3 , RAW264.7 and Hela cell lysates
WB Recommended dilution:	200-1000







