

## 兔抗 REG3G 多克隆抗体

中文名称：兔抗 REG3G 多克隆抗体

英文名称： Anti-REG3G rabbit polyclonal antibody

别名： PAP1B; PAPIB; PAP IB; PAP-1B; UNQ429; LPPM429; REG III; REG-III

相关类别： 一抗

储存： 冷冻 (-20℃)

抗原： REG3G

宿主： Rabbit

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the regenerating islet-derived genes (REG)3 protein family. These proteins are secreted, C-type lectins with a carbohydrate recognition domain and N-terminal signal peptide. The protein encoded by this gene is an antimicrobial lectin with activity against Gram-positive bacteria. Alternative splicing results in multiple transcript variants encoding multiple isoforms.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	REG3G
<b>Immunogen:</b>	Fusion protein of human REG3G

<b>Full name:</b>	regenerating family member 3 gamma
<b>Synonyms:</b>	PAP1B; PAPIB; PAP IB; PAP-1B; UNQ429; LPPM429; REG III; REG-III
<b>SwissProt:</b>	Q6UW15
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human thyroid cancer
<b>IHC Recommend dilution:</b>	50-300
<b>WB Predicted band size:</b>	19 kDa
<b>WB Positive control:</b>	Mouse kidney tissue, A172 cell, Human left kidney paracancerous tissue, 293T and TM4 cell lysates
<b>WB Recommended dilution:</b>	500-2000



