

## 兔抗 RELA(phospho-Ser311) 多克隆抗体

中文名称：兔抗 RELA(phospho-Ser311) 多克隆抗体

英文名称：Anti-RELA(phospho-Ser311) rabbit polyclonal antibody

别名：p65; NFKB3

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：RELA(phospho-Ser311)

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

### 技术规格

<b>Background:</b>	NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplasm in an inactive state by specific inhibitors. Upon degradation of the inhibitor, NF-kappa-B moves to the nucleus and activates transcription of specific genes. NF-kappa-B is composed of NFKB1 or NFKB2 bound to either REL, RELA, or RELB. The most abundant form of NF-kappa-B is NFKB1 complexed with the product of this gene, REL. Four transcript variants encoding different isoforms have been found for this gene.
<b>Applications:</b>	WB, IHC, IF

<b>Name of antibody:</b>	RELA(phospho-Ser311)
<b>Immunogen:</b>	Peptide sequence around phosphorylation site of serine 311(F-K-S(p)-I-M) derived from Human NFκB-p65.
<b>Full name:</b>	v-rel avian reticuloendotheliosis viral oncogene homolog A
<b>Synonyms :</b>	p65; NFκB3
<b>SwissProt:</b>	Q04206
<b>IHC positive control:</b>	Human breast carcinoma tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	60 kDa
<b>WB Positive control:</b>	Hela cells lysates untreated or treated with IFN-α
<b>WB Recommended dilution:</b>	500-1000
<b>IF positive control:</b>	Hela cells
<b>IF Recommend dilution:</b>	100-200



